



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala FL 34478-2710

**ORDER DETAIL WITHOUT PRICES BY ITEM**

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 1 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Spq Code	Seq	Eff.Date	Qty
1	0-AWIR	Walk-In Rescue <i>Unit to Be: 2003 NFPA compliant. 222" WB</i>		2	08-19-05	1.00
2	0-H204	Cycll Chas SA Pmpr/Tnkr/Resc		1	06-03-05	1.00
2	1-A-0004	Fm-10.25x3.5x.375 Chas		1	06-03-05	1.00
2	1-A-0050	FmLiner-9.375x3.125x.375 <i>Required on units over 210 wheelbase with 10.25" frame and mid-mount beams.</i>		1	06-03-05	1.00
2	1-A-0315	Bmpr-10" H S/S w/o Airhorn Hls <i>Available Extensions are 6", 8", 10", 12", 14", 16", 18", 20", 22", and 24" Extension: 20"</i>		1	06-03-05	1.00
2	1-B-0014	Fuel Sys- 65 Gal		1	06-03-05	1.00
2	1-B-1000	Fuel Pump Electric w/Reprime		1	06-03-05	1.00
2	1-B-1001	Racor Fuel/Water Separator <i>With sensor light and alarm.</i>		1	08-19-05	1.00
2	1-B-1003	Fuel Shutoff Valve <i>Location: Inlet side of Filter</i>		1	06-03-05	1.00
2	1-C-0491	FL943 18000# w/315 Tires <i>18000# axle w/(2) 315/80R Michelin tires. Includes axle, suspension, steering and (2) tires and wheels.</i>		1	06-03-05	1.00
2	1-C-0540	Frt(2)385/65R GdYr IPO315Mich <i>Required for 18000# rating on front axle with Goodyear tires. Requires Goodyear rear tires.</i>		1	06-03-05	1.00
2	1-C-1500	Stemco Oil Seals for Frt Axle <i>Not available on front drive axles.</i>		1	06-03-05	1.00
2	1-D-0528	RS-25-160 27000# w/12R Tires <i>27000# rear axle and suspension w/(4) 12R22.5 Michelin tires and steel wheels.</i>		1	06-03-05	1.00
2	1-D-0565	RR(4)12R22.5 GdYr IPO12RMich <i>Requires Goodyear front tires.</i>		1	06-03-05	1.00
2	1-E-0006	Air Brake Sys 4x2 <i>Includes ABS and air inlet.</i>		1	06-03-05	1.00
2	1-E-0404	Front/Rear Disc Brks 17" Sgl <i>Meritor EX 225 disc brakes front axle</i>		2	08-19-05	1.00
2	1-E-1001	Auto Moisture Ejec-Heated <i>Supplied on all reservoirs.</i>		1	06-03-05	1.00
2	1-E-1005	Emer Release for Spring Brake <i>With 1734 cubic inch tank.</i>		1	06-03-05	1.00
2	1-F-0253	Eng/Trans ISM02 400HP/EVS4000P <i>Cummins ISM02 w/EGR 400HP engine with EVS4000P transmission and Jacobs engine brake.</i>		1	06-03-05	1.00
2	1-F-0804	Block Heater-1000 Watt		2	08-19-05	1.00

CONTINUED

**ORDER DETAIL WITHOUT PRICES BY ITEM**



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala Fl. 34478-2710

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 2 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Spq Code	Seq	Eff.Date	Qty
		<i>N/A on S40 Receptacle location: Wire to 30A shoreline.</i>				
2	1-F-08A		0805 04gm	1	08-19-05	1.00
2	1-F-0917	<i>Thermostat for block heater. Cooling Sys-For EGR Eng Cooling for EGR engines. Includes charge air cooler.</i>		1	06-03-05	1.00
2	1-H-0595	<i>Cyclone II Extended Cab CA=WB-80, Includes Long Cab Doors offset to the rear</i>		1	06-03-05	1.00
2	1-H-0597	<i>Cab Doors Mod Medium IPOS Requires long - 67.5" or extended - 80" cab option.</i>		1	06-03-05	1.00
2	1-H-059A		0805 04gm	1	06-03-05	1.00
2	1-H-059B	<i>Rear Walk thru to Body in Cab</i>	0805 04gm	1	06-03-05	1.00
2	1-H-059C	<i>Cab Compartment Drivers Side Below Floor Level. 24Wx21Hx14.5D. E1#644292.</i>	0805 04gm	1	06-03-05	1.00
2	1-H-0610	<i>3 Door Cab - Delete Drivers Side Rear Door</i>		1	06-03-05	1.00
2	1-H-0705	<i>Map Box - Susp D/Dwn Drs</i>		1	08-19-05	1.00
2	1-H-0718	<i>Map Pockets Cab Kick Plt SS Stainless Steel map pocket bolted to kick plate on any interior door.</i>		1	08-19-05	1.00
2	1-H-1000	<i>Side Sliding Windows (IPOS)</i>		1	06-03-05	1.00
2	1-H-1007	<i>Sunvisors Lexan (PR)</i>		1	06-03-05	1.00
2	1-H-1105	<i>Seat 911 Imperial Blk/Burg 911 Seats Only</i>		1	06-03-05	1.00
2	1-H-1120	<i>Seat 911 Air/1Air Seat package includes air ride seat for the driver and officer's position.</i>		1	06-03-05	1.00
2	1-H-1514	<i>Cab Interior Color-Special Burgundy or black body panels. Includes cab dash, headliner and cab trim. Does not include seat color requirement. Specify Color Burgundy or Black: Burgundy</i>		1	06-03-05	1.00
2	1-H-1702	<i>S/S Trim Belt Bottom Side</i>		1	06-03-05	1.00
2	1-H-1899	<i>Vista Full Height RR Drs-20" Not available on 44.5" cabs.</i>		2	08-19-05	1.00

CONTINUED



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala Fl. 34478-2710

**ORDER DETAIL WITHOUT PRICES BY ITEM**

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 3 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Spq Code	Seq	Eff.Date	Qty		
2	1-H-1920	<i>No rear vista glass.</i> Mudflaps-Black-Front		1	06-03-05	1.00		
2	1-H-1922	Heater Rear w/Cover (PR) <i>Locate Under 2 Person Bench Seat</i>		1	06-03-05	1.00		
2	1-H-1925	Keyed Cab Door Locks (4) <i>Key #1250</i>		2	08-19-05	1.00		
2	1-H-1934	Mirrors-Ramco 6001MCR <i>Remote controlled with bottom convex.</i>		1	06-03-05	1.00		
2	1-H-1956	Air Cond-ISM S60 C-12 Prem <i>Upgraded air conditioning for use with Cummins ISM, Series 60 and CAT C-12 engine. Single roof top condenser. CII/Hurr/Hush. Not available with rear mount aluminum aerial. Locate rear evaporator above EMS cabinet.</i>		2	08-19-05	1.00		
2	1-H-19A		0805 04gm	1	08-19-05	1.00		
		<i>ALS cabinet on officer side of cab. To be flat roof ALS height. No shelves.</i>						
2	1-I-0308	Alt-400Amp Niehoff <i>(400 Amp SAE/385 NFPA rating). Cyclone II w/Cummins ISM. Not available on Detroit Diesel Engines Recycle requires Eng. Review.</i>		1	06-03-05	1.00		
2	1-I-0410	Batt-(6) Group31 950CCA		1	06-03-05	1.00		
2	1-I-0805	Map Light-Flexible Arm <i>Location: Officers Side "A" Post</i>		1	06-03-05	1.00		
2	1-I-0808	Frt Turn/Warn Light Combo <i>With amber Turn Signal - Requires Front NFPA Warning Light</i> <i>Headlight position: Low</i>		1	06-03-05	1.00		
2	1-I-1003	Windshield Fans-8" (PR) <i>Location: Std Front Location</i>		1	06-03-05	1.00		
2	1-I-A		0805 04gm	2	08-19-05	2.00		
		<i>Install Customer Supplied Ante (1) 42" and (1) 18" each side of A/C.</i>						
2	1-K-1505	Al Disc WhlsSet FrtAxle 4x2/6x <i>With 385/65R22.5 or 425/65R22.5 tires. maximum front rating 21500#.</i>		1	06-03-05	1.00		
2	1-K-1507	Al Disc WhlsSet RR Only 4x2 <i>With 11R22.5 or 12R22.5 tires. Maximum rear rating 24820# or 27000#.</i>		1	06-03-05	1.00		
2	1-L-2502	Radio AM/FM CD-Weatherband <i>With speakers.</i>		1	08-19-05	1.00		
2	1-L-2503	Radio Speakers-Addit Pair <i>Locate each side rear cab ceiling.</i>		1	08-19-05	1.00		

CONTINUED



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala FL 34478-2710

**ORDER DETAIL WITHOUT PRICES BY ITEM**

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 4 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Spq Code	Seq	Eff. Date	Qty
2	1-VM-A	<i>Full width bench seat across engine cover area (not for riding).</i>	0805 04gm	1	08-19-05	1.00
2	1-VM-B	<i>2 Person Bench Seat Locate along Drivers Side Wall of Cab Facing Towards Officers Side-shall have lap style belts</i>	0805 04gm	1	08-19-05	1.00
9	2-000-00-03	<i>Approval Drawings Revised Requires approval drawing option.</i>		1	06-03-05	1.00
9	2-000-00-05	<i>Delivery Requirement Date: 8/06</i>		2	08-19-05	1.00
9	2-000-00-06	<i>Approval Drawings-Standard</i>		1	06-03-05	1.00
9	2-000-00-10	<i>Inspection Trip Date: Final</i>		1	06-03-05	1.00
9	2-000-01-00	<i>Prebuild Conference Date: 7/20/05</i>		2	08-19-05	1.00
2	2-003-01-25	<i>Gravel Shield 3/16" IPOS 1/8" Requires bumper extension</i>		1	06-03-05	1.00
2	2-006-02-A	<i>Bumper Compts 10" Deep Locate driver and officer side inboard of Q2B and bell. Use butterfly latches.</i>	0805 04gm	1	08-19-05	2.00
2	2-008-01-00	<i>Tow Hooks-Frt Painted Down Requires extended bumper on commercial chassis. If Non-Extended bumper on Com Chassis, tow hooks are to be ordered with chassis.</i>		1	06-03-05	1.00
2	2-011-02-20	<i>Air Horns Recsd in Bump (PR) Requires Control. If Chrome bumper - Requires Option: Bumper-Chrome Front 2-002-01-00</i>		1	06-03-05	1.00
1	2-012-03-15	<i>Recessed Fuel Fill Not available on Commercials.</i>		1	06-03-05	1.00
1	2-020-01-00	<i>Mudflaps-Black-Rear</i>		1	06-03-05	1.00
2	2-023-02-00	<i>Tow Eyes-RR Below Bdy Painted</i>		1	06-03-05	1.00
2	2-101-00-11	<i>Kus P Plus 40A/AutoEject 20 Receptacle Location: Behind Drivers door as high as possible</i>		1	06-03-05	1.00
1	2-155-00-15	<i>S/S Wheel Trim Pkg Frt Axle</i>		1	06-03-05	1.00
1	2-155-00-16	<i>S/S Wheel Trim Pkg Rr Sgl</i>		1	06-03-05	1.00
2	2-200-00-00	<i>Air Inlet To charge brake system. Commercial chassis only. Locate on driver's side gravel shield.</i>		1	08-19-05	1.00
2	2-900-00-04	<i>Seating Capacity Tag (4)</i>		1	08-19-05	1.00

CONTINUED

**ORDER DETAIL WITHOUT PRICES BY ITEM**



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala Fl. 34478-2710

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 5 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Spq Code	Seq	Eff.Date	Qty
1	3-000-00-06	OAH Restriction None		1	06-03-05	1.00
1	3-000-00-08	OAL Restriction None		1	06-03-05	1.00
1	3-000-97-01	Walk-In Resc Bdy Spec		1	06-03-05	1.00
1	3-0001G		0805 04gm	2	08-19-05	1.00
		<i>Rear compartment to have drop floor and to also extend tot opof body. Approx dimensions are 35W x full height x 52"D upper and 26"D lower.</i>				
1	3-0001H		0805 04gm	1	08-19-05	1.00
		<i>14" Rear Tailboard.</i>				
1	3-001-18-97	Walk-In Resc 18' Bdy		1	06-03-05	1.00
1	3-001A		0805 04gm	2	08-19-05	1.00
		<i>Body Mod 65"-31"-60"-52" w/ Partial Walk In. Body to have One (1) 65" &amp; One (1) 31" Wide compartments Ahead of the Rear Wheels officer's side will have 62" R1 compartment with 34"W x 80"H side entry door IPO R2 that will be a Walk In area with Two Bench Seat for Rehab.</i>				
1	3-001AA		0805 04gm	2	08-19-05	1.00
		<i>Body Mod - Body &amp; Compartment Raises. Raise Body and Compartments to Accomodate Air Compressor and min. of 76" in Interior Height for Walk In Area</i>				
1	3-001BB		0805 04gm	2	08-19-05	1.00
		<i>Body Mod - Add L5/ Pass Throug Add L5 and make pass through, 24"W x 46"H. Customer would like abilityto pass cooler through compartment to inside rehab area</i>				
1	3-001F		0805 04gm	2	08-19-05	1.00
		<i>SCBA Bottle Storage Tube Racks provide Storage for 4.5 - 30 min bottles. (36) in L4 and 6 in R4.</i>				
1	3-125A		0805 04gm	1	06-03-05	1.00
		<i>Awnings Provide One (1) awning on the rear of the aparatus. Color TBD at prebuild. <i>noted</i></i>				
1	3-137-05-10	Step-Gator Grip Surfaces		1	06-03-05	1.00
		<i>Location: Cab Steps, rear tailboard.</i>				
1	3-141-02-00	Bench Seat-96" w/Access Dr		1	06-03-05	1.00
		<i>For Rescue. Locate on Drivers Side Front Walk In Area</i>				

CONTINUED



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala Fl. 34478-2710

**ORDER DETAIL WITHOUT PRICES BY ITEM**

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 6 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

P/It	Item Number	Item Description / Text	Spq Code	Seq	Eff.Date	Qty
1	3-147-05-02	Step Electric Kwikkee <i>Location: Rear Cab Access Door, and bathroom door.</i>		1	06-03-05	1.00
1	3-147-10-01	Awning, Side Body 18' <i>Location and color: One (1) each side. Color: natural.</i>		2	08-19-05	2.00
1	3-150-00-00	Window-Sliding Side 18x42 (EA) <i>Slanted. For Rescue. Drivers Side Walk In Area</i>		1	06-03-05	1.00
1	3-150-04-00	Window SideSliding 12x18Res(EA) <i>For Bathroom - Mount as High as Possible</i>		1	06-03-05	1.00
1	3-155-00-00	Air Cond/Heat-110V Roof Mtd <i>13500 BTU/5600 BTU Location: Roof - Front of Body Locate other unit above bathroom.</i>		2	08-19-05	2.00
1	3-155-A	Handrail Style A/C guard.	0805 04gm	1	08-19-05	1.00
1	3-158-02-00	Escape Hatch-Walk-In Resc <i>Wire to shoreline and generator. Location: above bench seat in body.</i>		(2)	08-19-05	1.00
1	3-160-A	Zico RL2-7 Quicladder.	0805 04gm	(1)	08-19-05	(2.00)
1	3-164-02-08	Fill Station-Enclosed MCFS3 <i>Enclosed mobile containment fill station-3position without control panel. Locate in R4</i>		(2)	08-19-05	1.00
1	3-164-02-A	4 Btl Cascade Sys - 6000 ASME <i>Includes (4) DOT bottle rack. Requires enclosed mobile containment fill station. Requires engineering approval. Location: Locate Fill Station and Cascade in the B1Compartment.- Store (2) bottles in L1 and 2 bottles in light tower access.</i>	0805 04gm	1	08-19-05	1.00
1	3-164-A	Air Comp, Bauer BP19H-E3, 19CFM, 15 HP <i>compressor. Center over frame rails in the L3/R3 compartments.</i>	0805 04gm	2	08-19-05	1.00
1	3-164-AA	O2 System with one (1) H size O2 <i>cylinder. Locate in ALS compartment. To have (4) outlets in cab. (1) at each end of both bench seats.</i>	0805 04gm	1	08-19-05	1.00
1	3-164B	Insulation Interior Rear Wall	0805 04gm	1	06-03-05	1.00

CONTINUED

**ORDER DETAIL WITHOUT PRICES BY ITEM**



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala Fl. 34478-2710

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 7 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Spq Code	Seq	Eff.Date	Qty
1	3-167-00-04	<i>Insulate Rear Walk In Area Wall to Reduce Heat &amp; Noise from Compressor SCBA Btl Strg w/Gasket (4) Located two each side in rear wheel well area. The bottle door will include a gasket.</i>		1	06-03-05	1.00
1	3-VM-A	<i>Bathroom w/ Sink Provide Bathroom w/ Sink in the Officers Side Area ahead of the Rear wheels. Bathroom to have Holding Tank, water Tank w/Pump for Sink - all Counters and Walls to Be Stainless Overlay- Toilet to be "INCINOILET"- To Include Exhaust Fan- Price includes all Van Mor work. Water storage and waste tanks to be located in R1 compartment. See VanMor quote for details.</i>	0805 04gm	2	08-19-05	1.00
1	3-VM-B	<i>Kitchen Area To contain a Sink/Refrigerator/Coffee Maker/Microwave and pocket door. Locate Sink w/Coffee Maker, Refrigerator, &amp; Microwave on officers side ahead of bathroom aft of cab. If room allows provide Storage Cabinet for Rehab Supplies.- Provide Potable Water Tank. See VanMor quote for details.</i>	0805 04gm	1	06-03-05	1.00
2	5-003-A	<i>Whelen FNQLED 72" Lt Bar See 130788_LB for layout.</i>	0805 04gm	2	08-19-05	1.00
2	5-003-B	<i>Whelen LED Mini Edge Bars (pr) One over each front cab door</i>	0805 04gm	1	06-03-05	1.00
2	5-004A	<i>Whelen SA314BH Speakers</i>	0805 04gm	1	06-03-05	2.00
2	5-006-00-00	<i>Fed Q2B Siren-Pedestal Mnted Requires engineering approval for Ambulances. Location and switch location: Locate Drivers Side on bumper - switched by foot switch drivers side.</i>		2	08-19-05	1.00
1	5-04-95A	<i>Multiplex Electrical</i>	0805 04gm	2	08-19-05	1.00
2	5-09-00	<i>Multiplex Modem Kit Includes modem, adapter for PDA</i>		1	06-03-05	1.00

CONTINUED



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave.P.O. Box 2710, Ocala Fl. 34478-2710

**ORDER DETAIL WITHOUT PRICES BY ITEM**

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 8 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Sq Code	Seq	Eff.Date	Qty
2	5-09-01	device/laptop computer interface and adapter harness. Provide if Multiplexing available Multiplex Data Logger Data logger.		1	06-03-05	1.00
2	5-102-10-00	Whelen WS295 Siren w/Mike		1	06-03-05	1.00
1	5-104-01-00	Foot Switch Driver's side for airhorns and (2) officer's side for air horns and Q2B.		1	08-19-05	3.00
1	5-104-01-10	Cntrl Phsbtn Switch Offcr Dash Officer's side dash for Q2B IATS.		1	08-19-05	1.00
2	5-104-02-16	Sw Horn Button 2Pos DOT/AH Switch to allow horn button to activate DOT horn or air horn.		1	06-03-05	1.00
1	5-202-00-06	Mrkr Pkg Body/Cab LED-Rescue E-One custom cab and rescue bodies only. IPOS.		1	06-03-05	1.00
2	5-205-01-00	License Plate Light		1	08-19-05	1.00
1	5-208-03-08	Lt Hazard Federal FB3 Comp R Specify Location: Center in overhead area forward of fans		1	06-03-05	1.00
1	5-210-12-16	Whln 900 Scene Lts 26Deg (PR) Whelen 26 degree scene lights with weatherproof connectors. Specify location & switching: (2) each side below warning lights and 2 at rear above amber warning lights.		2	08-19-05	3.00
1	5-210A	Whelen 90RR5FRR (1) each side upper rear and (2) each side upper body corners.	0805 04gm	1	06-03-05	6.00
1	5-210B	Whelen TA4437M Install at rear (1) at top of body and (1) on extrusion seam.	0805 04gm	2	08-19-05	4.00
1	5-210C	Whelen 60A00TAR mount second from the top in CAST 4 Bezel and inboard one each side of Quad bezel on cab	0805 04gm	1	06-03-05	4.00
1	5-210D	Whelen 60C00WCR Located 2nd from bottom in cast 4 bezels	0805 04gm	1	06-03-05	2.00
1	5-210E	Whelen 60R02FRR	0805 04gm	2	08-19-05	14.00

CONTINUED





Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala Fl. 34478-2710

**ORDER DETAIL WITHOUT PRICES BY ITEM**

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 9 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

P/It	Item Number	Item Description / Text	Spq Code	Seq	Eff.Date	Qty
1	5-210F	Locate std 10 Lt package locations and also (1) pr in top of Cast 4 bezel and (1) pr above front cab wheelwells.	0805 04gm	1	06-03-05	2.00
1	5-210G	Whelen 60A02SAR locate one each side on rear tailboard	0805 04gm	2	08-19-05	2.00
1	5-210H	Whelen 50R03ZCR Locate (3) each side in rubrail.	0805 04gm	1	08-19-05	1.00
1	5-211-10-00	Whelen 900 LED Amber (PR) Model 90AASFRR. Locate each side at rear below scene lights.		1	06-03-05	1.00
1	5-214-A	Deck Light Wiring Circuit Circuit wiring rear deck/scene light through chassis reverse. Requires rear deck or scene light.	0805 04gm	1	08-19-05	1.00
1	5-290-02-03	Cast 4 bezel to house specified lights. Compt Light ROM 49-84" IPOS(Ea) In place of standard light. Each compartment. (1) each side of L4 and R4.		1	08-19-05	4.00
1	5-290-A	Whelen 20C0CCCR LED Compt Lts (1) in L1, (1) in R1, (1) in L2, (2) in L3, (2) in R3, (4) in B1 (1 low and 3 in upper area).	0805 04gm	2	08-19-05	11.00
2	5-300-00-15	12V Power Distribution Module 6 battery hot and 6 switched hot circuits. 100 amps max (IATS). Location: Behind the driver's Seat		1	06-03-05	1.00
2	5-300-A	12V Outlets. Locate (1) on officer side 3x3 and (1) on officer's side dash.	0805 04gm	1	08-19-05	2.00
2	5-303-00-05	Door Ajar Alarm		1	06-03-05	1.00
2	5-307-01-10	Dome Lts LED Red/Wht 4" (Ea) White LED wired through door and light assembly mounted rocker switch. Red LED through light assembly mounted rocker switch. In place of standard dome on E-One custom chassis. Location: One over Driver, Officer and four uniformly placed in the rear.		1	06-03-05	6.00
2	5-312-15-00	Spotlight Receptacle in Cab Plug in type		2	08-19-05	2.00

CONTINUED



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave.P.O. Box 2710, Ocala Fl. 34478-2710

**ORDER DETAIL WITHOUT PRICES BY ITEM**

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 10 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Spq Code	Seq	Eff.Date	Qty
1	5-503-A	Location: officer's side dash and center dash.  Gen 40KW Onan PTO For electronic engines only. Requires transmission lock-up, 3 phase breaker box, engineering approval, and 3rd party testing. Generator to run off left side PTO.	0805 04gm	2	08-19-05	1.00
1	5-506-02-01	Receipt 20Amp/110V 3-Prong Interior mounted 3 wire NEMA 5-20 household duplex receptacle and stainless steel cover plate wired to inlet receptacle.		1	06-03-05	4.00
1	5-506-04-03	Location: Locate three (3) in kitchen area and One(1) in Bathroom Receipt TL Woodhead 20A/110V Daniel Woodhead 3 wire NEMA L5-20 w/Daniel Woodhead cover plate.		1	08-19-05	4.00
1	5-507-10-00	(2) each side in wheel well. Recpt 30A/110V Shrlne AutoTran With auto transfer switch. Rescue Transports only. Locate above battery charger. Wire to block heater and 110 outlets in body.		1	08-19-05	1.00
1	5-509-A	Akron Recessed Qtz Lt P/N E-4650-RM-16	0805 04gm	1	08-19-05	6.00
1	5-511-02-09	Breaker Box 30 Place 3 Phase Includes main breaker. Only for generator sizes 30 thru 60 KW. Location: Forward interior wall above bench seat.		2	08-19-05	1.00
1	5-512-01-23	Cord Reel Elec 200' 10/3-Ylw With 200' of 10/3 yellow cable. Locate (2) in upper area of L4 and (1) in upper area of R4 offset forward.		1	08-19-05	3.00
1	5-512-02-00	Cord Reel Rollers Location: Just Below Doors One Each Side L4/R4		1	06-03-05	2.00
1	5-512-A	Akron LS20 Twist Lock Junction boxes. P/N EJB-LS-20.	0805 04gm	1	08-19-05	2.00
1	5-512-B	Akron Junction Box Mnt P/N EJB-VMT-TP	0805 04gm	1	08-19-05	3.00

CONTINUED

**ORDER DETAIL WITHOUT PRICES BY ITEM**



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala Fl. 34478-2710

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 11 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Sq Code	Seq	Eff.Date	Qty
1	5-512-C		0805 04gm	1	08-19-05	3.00
1	5-514-00-00	<i>Orange ball stops for cord reels. 12V Switch for 110-240V (EA) For left, right and rear quartz lights. Switched in cab.</i>		1	08-19-05	3.00
1	5-515-00-06	<i>Recessed Compt for Lt Tower Location: above compressor.</i>		2	08-19-05	1.00
1	5-515-A		0805 04gm	2	08-19-05	1.00
		<i>Willburt NS15-9000(opt) Light Model NS15-9000 (OPT) Light tower with six (6) 1500 Optima Heads. Locate control on R3 forward wall.</i>				
1	5-901-02-02	<i>3rd Party Gen Test w/o Pump</i>		1	06-03-05	1.00
1	7-211-03-02	<i>Wheel Chocks-44"NFPA Compliant Pair of Zico SAC-44. Up to 44" diameter Tires. Includes mounting bracket. Location: Drivers Side Ahead of Rear Wheels</i>		1	06-03-05	1.00
1	7-516-00-05	<i>DOT Required Driveaway Kit Kit includes three (3) triangular warning reflectors with carrying case. This kit is for the end user and is to remain with the truck.</i>		1	06-03-05	1.00
1	7-516-01-00	<i>Chrome Fire Bell w/Eagle Requires extended front bumper Location: Officers Side</i>		1	06-03-05	1.00
1	8-001-05-00	<i>Paint E-One Chassis Cab Color: Dupont #P2513EG White</i>		1	06-03-05	1.00
1	8-001-11-03	<i>Paint E-One Cab Inter OTO Gray</i>		1	08-19-05	1.00
1	8-003-02-00	<i>Paint Body-Small For Pumpers, Single Axle Tankers and Rescues. Color: Dupont #P2513EG White</i>		1	06-03-05	1.00
1	8-005-10-01	<i>Straight Scthlite Stripe-6-12" Specify color, width and location: TBD at prebuild</i>		1	06-03-05	1.00
1	8-005A		0805 04gm	1	06-03-05	1.00
		<i>Lettering Allowance Final lettering TBD at prebuild.</i>				
9	95-700	<i>1 Year Standard Warranty</i>		1	06-03-05	1.00
9	95-740	<i>Lifetime Frame Warranty</i>		1	06-03-05	1.00
9	95-750	<i>10 Year/100,000 Mile Structura Statement of Warranty</i>		1	06-03-05	1.00
9	95-782	<i>OBSOLETE 10 Year Paint &amp; Lifet Statement of warranty. Fire Apparatus, ARFF, and Light Rescues.</i>		1	06-03-05	1.00

CONTINUED

**ORDER DETAIL WITHOUT PRICES BY ITEM**



Subsidiary of Federal Signal Corp.  
1701 Southwest 37th Ave. P.O. Box 2710, Ocala Fl. 34478-2710

Project	130788
Sales Order	130788

Date: 08-19-05 [11:33]

Page: 12 of 12

**CONFIDENTIAL**

Customer: 292004

Dealer: 292198

CITY OF FRISCO FIRE DEPARTMENT  
MACK BORCHARDT 972-335-5525  
8860 TOMLIN  
FRISCO, TX 75034

DOOLEY TACKABERRY INC  
1515 W 13TH STREET  
DEER PARK, TX 77536

Vehicle Type	ANWR18-H204
Order Date	06-03-2005
Plan. Del.	
Sales Admin.	PEELER,AMY

Email: tim.schmitt@dtihome.com

Plt	Item Number	Item Description / Text	Spq Code	Seq	Eff.Date	Qty		
9	95-900	Manuals Operat&Srcv CD-ROM		1	06-03-05	1.00		

End of Detail....





FRISCO FIRE DEPARTMENT  
 FRISCO, TEXAS  
 S.O. 130788  
 ANWR-18.5' RESCUE BODY  
 E-ONE CYCLONE II XLFD CHASSIS

COMPT.	OPENING	INTERIOR DIMENSION
L1/R1	65W 16H	65W 16H 26D
L2/R2	31W 16H	31W 16H 26D
L3/R3	58W 32H	60W 40H 94D
L4/R4	48W 62H	52W 70H 22D
B1	33W 88H	35W 76H 56D UPPER 35W 28H 26D LOWER

THIS DRAWING IS FOR REFERENCE PURPOSES. ALL DIMENSIONS ARE SUBJECT TO MINOR VARIATIONS DUE TO MANUFACTURING PROCESSES.

This is the property of Emergency One, Inc. and is loaned to you subject to return on demand, unless otherwise agreed to in writing by Emergency One, Inc. Its contents are confidential and must not be copied or submitted for third parties for use or examination.







FRISCO FIRE DEPARTMENT  
FRISCO, TEXAS  
S.O. 130788  
ANWR-18.5' RESCUE BODY  
E-ONE CYCLONE II XLFD CHASSIS

THIS DRAWING IS FOR REFERENCE PURPOSES. ALL DIMENSIONS ARE  
SUBJECT TO MINOR VARIATIONS DUE TO MANUFACTURING PROCESSES.


This unit is the property of Emergency One, Inc. and is loaned to you  
subject to return at demand, unless otherwise agreed to in writing by  
Emergency One, Inc. Its contents are confidential and must not be  
copied or submitted to third parties for use or modification.



TOP VIEW  
INTERIOR



OFFICER'S SIDE  
INTERIOR VIEW



DRIVER'S SIDE  
INTERIOR VIEW







FRISCO FIRE DEPARTMENT  
 FRISCO, TEXAS  
 S.O. 130788  
 ANWR-18.5' RESCUE BODY  
 E-ONE CYCLONE II XLFD CHASSIS

COMPL.	OPENING	INTERIOR DIMENSION
L1/R1	65W 16H	65W 16H 26D
L2/R2	31W 16H	31W 16H 26D
L3/R3	58W 32H	60W 40H 94D
L4/R4	48W 62H	52W 70H 22D
BI	33W 88H	35W 76H 50D UPPER 35W 28H 26D LOWER

THIS DRAWING IS FOR REFERENCE PURPOSES. ALL DIMENSIONS ARE SUBJECT TO PRIOR VARIATIONS DUE TO MANUFACTURING PROCESSES.

This print is the property of Emergency One, Inc. and is to be used only for the specific project identified on the drawing. It is not to be used for any other project without the written consent of Emergency One, Inc. The markings are for informational use only and are not to be copied or submitted to third parties for use or reproduction.









FRISCO FIRE DEPARTMENT  
 FRISCO, TEXAS  
 S.O. 130788  
 ANWR-18.5' RESCUE BODY  
 E-ONE CYCLONE II XLFD CHASSIS

THIS DRAWING IS FOR REFERENCE PURPOSES. ALL DIMENSIONS ARE  
 SUBJECT TO MINOR VARIATIONS DUE TO MANUFACTURING PROCESSES.


This unit is the property of Emergency One, Inc. and is loaned to you  
 subject to return in default. Please otherwise agreed be in writing by  
 Emergency One, Inc. Its contents are confidential and must not be  
 copied or substituted for third parties for use or modification.



TOP VIEW  
 INTERIOR



OFFICER'S SIDE  
 INTERIOR VIEW



DRIVER'S SIDE  
 INTERIOR VIEW



FRISCO FIRE DEPARTMENT  
FRISCO, TEXAS  
S.O. 130788  
ANWR-18.5' RESCUE BODY  
E-ONE CYCLONE II XFD CHASSIS

THIS DRAWING IS FOR REFERENCE PURPOSES. ALL DIMENSIONS ARE  
SUBJECT TO MINOR VARIATIONS DUE TO MANUFACTURING PROCESSES.

This print is the property of E-One, Inc. and is loaned to you  
for your use only. It is not to be reproduced, stored in a  
retrieval system, or transmitted in any form or by any means,  
electronic, mechanical, photocopying, recording, or by any  
information storage and retrieval system, without the prior  
written permission of E-One, Inc. Its contents are confidential and may not be  
copied or submitted to third parties for use in a substitution.

